BRUCE F. BELL PRIMARY EXAMINER GROUP 1706

of Biological Material

Application/Control Number: 09/839,786

Art Unit: 1746

ry,

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Thomas Loop on January 14, 2004.

The application has been amended as follows:

IN THE SPECIFICATION:

Page 1, line 5, please insert --, now U.S. Patent 6,641,948,-- after "09/715,830".

IN THE CLAIMS:

Claim 20, line 4, delete "has a resistivity of approximately 50 m Ω cm and ".

Claim 20, line 9, delete "pores" and insert --pore--.

Claim 20, line 10, delete "dopes" and insert --doped--.

Conclusion

2. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jonathan Crepeau whose telephone number is (571) 272-1299. The examiner can normally be reached Monday-Friday from 9:30 AM - 6:00 PM EST.

Application/Control Number: 09/839,786

Art Unit: 1746

er Sign - A

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Randy Gulakowski, can be reached at (571) 272-1302. The phone number for the organization where this application or proceeding is assigned is (571) 272-1700. Documents may be faxed to the central fax server at (703) 872-9306.

Jonathan Crepeau Patent Examiner Art Unit 1746 January 15, 2004 Sun Sect BRUCE F. BELL PRIMARY EXAMINER GROUP 1746